



- CONNECT (N) 4" SANITARY SEWER BELOW SLAB TO (E) SANITARY SEWER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 4")
- CONNECT (N) 1" COLD WATER TO (E) COLD WATER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 1")
- P.O.C. OF (N) VENT THRU EXISTING ROOF. REFER D ON SHEET P03.01 FOR ADDITIONAL INFORMATION.
- 1" CONDENSATE DRAIN ON ROOF TO DISCHARGE TO SPLASH BLOCK. REFER TO DETAIL J ON SHEET P03.01.
- PLUMBING CONTRACTOR TO PROVIDE WATER METER - "HERSEY MODEL NO. 3/4" MVR" AT MINIMUM OF 15 GPM. VERIFY LOCATION. MOUNT 48" ABOVE FINISHED FLOOR. MAKE NECESSARY CONNECTIONS AS REQUIRED. METER TO READ IN GALLONS.
- METAL LINER CONDITION - INSTALL CONGEALED SPRINKLER HEAD IN PRE-CUT HOLE IN PANEL - FIRE PROTECTION CONTRACTOR SHALL ENSURE THAT CONGEALED HEAD COVER COMPLETELY COVERS 2-6/16" PRE-DRILLED HOLE.
- EXISTING GAS LINE TO REMAIN UNCHANGED. TOTAL GAS LOAD = 350 CFH. FIELD VERIFY EXACT LOCATION OF EXISTING METER AND GAS COMPANY REQUIREMENTS.

PLUMBING AND FIRE SPRINKLER HEAD PLAN KEYNOTES	NTS	D 09/22/11
---------------------------------------------------	-----	---------------

GC TO PROVIDE WRITTEN REPORT TO LSD&C PM ON
CONDITION OF EXISTING SEWER TIE-IN REGARDING
SLOPE AND FLOW:
• SCOPE WITH CAMERA PRIOR TO CONNECTION
• DO NOT CONNECT WITHOUT LSD&C PM
AUTHORIZATION IF SPECS NOT MET

NOTE:
REFER TO SPECIFICATION BOOKLET FOR ADDITIONAL
INFORMATION.

M-Engineering
750 Brookside Blvd.
Westerville, Ohio 43081
phone: 614.839.4639
fax: 614.839.2222
www.mengineering.us.com

Limited brands

LIMITED STORE PLANNING, INC.
d/b/a STORE DESIGN & CONSTRUCTION
Three Limited Parkway Columbus, Ohio 43230
Telephone: 614.415.7000 Fax: 614.415.7349

PROJECT INFORMATION:
VICTORIA'S SECRET
PARK PLAZA MALL
8000 W. MARKHAM STREET
SPACE # 2030
LITTLE ROCK, AR 72205
SCOPE: FULL REMODEL | PACKAGE: NMA
DESIGN TYPE: FALL 2014 (141F0)

REVISIONS:
REQUIRED BY:
DATE ISSUED: 05/23/20
DESIGNED BY: B
DRAWN BY: B
CHECKED BY: J

PLUMBING AND
FIRE SPRINKLER
HEAD PLAN
DRAWING NUMBER:
P02.01