


- GENERAL
- ① ROLLING GRILLE MOTOR ABOVE
 - ② LEDGE ABOVE - SEE DETAIL C/A12.01 AND STRUCTURAL DRAWINGS FOR DETAILS
 - ③ BLOCKING ABOVE CEILING
 - ④ SEE STRUCTURAL DRAWINGS FOR WATER HEATER SUPPORT
 - ⑤ NOT USED
 - ⑥ START POINT OF CEILING TILE. CENTER IN ROOM U.O.N.
 - ⑦ LOCATION OF FLUSH MOUNTED METAL ACCESS PANEL FOR EQUIPMENT ABOVE (FOR NON-PUBLIC AREAS) - PANEL TO BE 24"x24" (18"x18" MIN. ACCEPTABLE SIZE PER FIELD CONDITIONS). COORDINATE WITH MEP PLANS. REFER TO DETAIL T/A12.01 AND SPECIFICATIONS SECTION 083100
 - ⑧ LOCATION OF DROP-IN TRIMLESS ACCESS PANEL FOR EQUIPMENT ABOVE (FOR PUBLIC AREAS) - PANEL TO BE 24"x24" AT MAIN CEILING LOCATIONS (18"x18" MIN. ACCEPTABLE SIZE PER FIELD CONDITIONS). COORDINATE WITH MEP PLANS. REFER TO DETAIL S/A12.01 AND SPECIFICATIONS SECTION 083100
 - ⑨ ACCESS PANEL TO BE INSTALLED ON FACE OF POIN HALL FOR ACCESS TO WATER HEATER BEYOND. PANEL TO BE 24"x24" (18"x18" MIN. ACCEPTABLE SIZE PER FIELD CONDITIONS). REFER TO DETAIL T/A12.01 AND SPECIFICATIONS SECTION 083100
 - ⑩ RETURN AIR DIFFUSER ON LIFT OUT FRAME TO BE USED FOR ACCESS. COORDINATE W/ MEP PLANS.
 - ⑪ LINE OF CROWN

- PINK
- ⑫ MARKETING PIPE RAIL, REFER TO DETAIL P/A02.01, G.C. TO PAINT P-54
 - ⑬ NOT USED
 - ⑭ LINE OF PKF-64 CROWN
 - ⑮ LINE OF PKF-65 CROWN
 - ⑯ DROP IN TRIMLESS ACCESS PANEL INSTALLED IN UNDERNE OF CABINET CEILING FOR NON SIGNAGE EQUIPMENT ACCESS
 - ⑰ LOCATION OF DROP-IN TRIMLESS ACCESS PANEL FOR ACCESS TO ROLLING GRILLE EQUIPMENT ABOVE. PANEL TO BE 12"x12". COORDINATE WITH MEP PLANS. REFER TO DETAIL S/A12.01 AND SPECIFICATIONS SECTION 083100

- VSL
- ⑱ LINE OF DRUM SHADE AT CEILING ATTACHMENT
 - ⑲ NOT USED
 - ⑳ FINISH PANEL MATERIAL SEAM LOCATION, G.C. TO PAINT SURFACE UNDERNEATH P-33
 - ㉑ 18" DEEP MARKETING GRID - SEE PLAN ON SHEET A06.01
 - ㉒ CEILING MOUNTED CURTAIN TRACK - SEE SECTIONS FOR MOUNTING LOCATION
 - ㉓ ACT CEILING TO BE INSTALLED IN STOREFRONT VOID SPACES
 - ㉔ NOT USED



REFER TO SHEET A00.04 FOR GENERAL NOTES.
REFER TO SHEET A00.03 FOR FINISH SCHEDULE.