



PLUMBING AND  
FIRE SPRINKLER  
HEAD PLAN

DRAWING NUMBER:

P02.01

DATE ISSUED: 09-05-2014  
DESIGNED BY: JES  
DRAWN BY: JES  
CHECKED BY: NRP

ELITE CONSTRUCTION GROUP  
LAKE JACKSON, TX  
PHONE: 979-245-0712  
NOTE: THESE PRINTS HAVE BEEN  
REDUCED BY 50 PERCENT SCALE  
WILL BE 50 PERCENT OF WHAT IS  
NOTED ON PLANS

REVISIONS:

PROJECT INFORMATION:

PINK VICTORIA'S SECRET

3401 NICHOLASVILLE RD  
SPACE # 1-904  
LEXINGTON, KY 40503

SCOPE:  
DESIGN TYPE:  
LSD&C PROJECT #:

NEW PACKAGE:  
PINK GENERATION:  
00062007 A/E PROJECT #:

151S  
20140334

010501726

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ELITE CONSTRUCTION GROUP, INC. AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF ELITE CONSTRUCTION GROUP, INC. THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ELITE CONSTRUCTION GROUP, INC. AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF ELITE CONSTRUCTION GROUP, INC. THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ELITE CONSTRUCTION GROUP, INC. AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF ELITE CONSTRUCTION GROUP, INC.

Limited brands

LIMITED STORE PLANNING, INC.  
d/b/a STORE DESIGN & CONSTRUCTION  
Three Limited Parkway • Columbus, Ohio 43230  
Telephone: 614.415.7000 • Fax: 614.415.7349



Larson Binkley, Inc.  
310 W 20th Street, Suite 200  
Kansas City, Missouri 64108  
Kentucky Certificate of  
Authorization Number 1127

T 816-907-9601  
F 816-907-9602  
larsonbinkley.com

- CONNECT (N) 4" SANITARY SEWER BELOW SLAB TO (E) SANITARY SEWER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 4")
- CONNECT (N) 1" COLD WATER TO (E) COLD WATER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 1")
- P.O.C. OF (N) VENT TO (E) VENT LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 2")
- 1" CONDENSATE DRAIN ON ROOF TO DISCHARGE TO SPLASH BLOCK. REFER TO DETAIL 3 ON SHEET P03.01.
- PLUMBING CONTRACTOR TO PROVIDE WATER METER - 'HERSEY MODEL NO. 3/4" MVR' AT MINIMUM OF 16.3 GPM. VERIFY LOCATION. MOUNT 48" ABOVE FINISHED FLOOR. MAKE NECESSARY CONNECTIONS AS REQUIRED. METER TO READ IN GALLONS.
- NOT USED.
- ROUTE TO APPROVED GAS METER LOCATION WITH REGULATOR, TOTAL GAS LOAD = 700 CFH AND A TOTAL DEVELOPED LENGTH = 100 FEET. FIELD VERIFY EXACT LOCATION OF METER AND GAS COMPANY REQUIREMENTS.

PLUMBING AND FIRE SPRINKLER HEAD  
PLAN KEYNOTES

NTS

D

11/18/11

- GC TO PROVIDE WRITTEN REPORT TO LSD&C PM ON CONDITION OF EXISTING SEWER TIE-IN REGARDING SLOPE AND FLOW.
- SCOPE WITH CAMERA PRIOR TO CONNECTION
  - DO NOT CONNECT WITHOUT LSD&C PM AUTHORIZATION IF SPECS NOT MET

NOTE:  
REFER TO SPECIFICATION BOOKLET FOR ADDITIONAL INFORMATION.

