NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.

NOTE:
REFER TO SPECIFICATIONS SECTION 083100 FOR MANUFACTURER AND MODEL NUMBER.



CEILING MOUNTED ACCESS PANEL DROP IN - TRIMLESS

3" = 1'-0" | 05D-A1201-S00-DETL | S | 08.14.12

NOTE:
INSTALLATION ON VERTICAL WALL TO BE SIMILAR. ALL FASTENER REQUIREMENTS AND SPECIFICATIONS ARE THE SAME.

NOTE:
REFER TO SPECIFICATIONS SECTION 083100 FOR MANUFACTURER AND MODEL NUMBER.



CEILING MOUNTED ACCESS PANEL METAL FLUSH MOUNTED

3" = 1'-0" | 05D-A1201-M00-DETL | M | 08.14.12



NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.

DREAMSTEAMER HEADER DETAIL

3" = 1'-0" | 05D-A1201-H00-DETL | H | 08.14.12



MARKETING GRAHPICS FASTENING CRITERIA			
WEIGHT	WALL Z-CLIP	FRAME Z-CLIP	ADDITIONAL SUPPORT
0 - 20 LBS	(2) 3" LONG CLIPS W/ (2) FASTENERS IN EA.	(2) 3" LONG CLIPS W/ (2) #6 SCREWS IN EA.	SELF ADHESIVE HOOK AND LOOP
21 - 60 LBS	(2) 6" LONG CLIPS W/ (2) FASTENERS IN EA.	(2) 6" LONG CLIPS W/ (2) #6 SCREWS IN EA.	(1) T-SCREW
61 - 100 LBS	(3) 6" LONG CLIPS W/ (2) FASTENERS IN EA.	(3) 6" LONG CLIPS W/ (2) #6 SCREWS IN EA.	(2) T-SCREWS

FRAMED GRAPHIC INSTALLATION DETAIL

VARIES | 05D-A1201-D00-DETL | D | 08.14.12

NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.



LIGHT TROUGH DETAIL

3" = 1'-0" | 05D-A1201-R00-DETL | R | 08.14.12



SECURITY MONITOR SUPPORT AT CEILING

1 1/2" = 1'-0" | 05D-A1201-L00-DETL | L | 08.14.12



PINK DISPLAY PLATFORM ACCESS PANEL DETAILS - PKG 2

1 1/2" = 1'-0" | 05D-A1201-G00-DETL | G | 02.21.14



STORAGE LEDGE PARTITION

1" = 1'-0" | 05D-A1201-C00-DETL | C | 08.14.12



NOTE:
MAX WEIGHT = 40 LBS PER HANG POINT

NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.

SUSPENDED SIGN FIXTURE ATTACHMENT

3" = 1'-0" | 05D-A1201-P00-DETL | P | 08.14.12



ACT CEILING LAYOUT

1/8" = 1'-0" | 05D-A1201-K01-DETL | K | 08.14.12

NOTES:
1. THIS BLOCKING IS FOR ELEMENTS WITH A MAXIMUM VERTICAL LOAD OF 100 LBS PER LINEAR FOOT AT A MAXIMUM OF 7' FROM THE FACE OF WALL.
2. REFER TO STRUCTURAL DRAWINGS FOR METAL STUD FRAMING GAUGE REQUIREMENTS.
3. REFER TO INDIVIDUAL DETAILS AND MFG INSTALLATION INSTRUCTIONS FOR REQUIRED SCREW TYPE TO ATTACH ITEMS TO BLOCKING. WHEN NOT SPECIFICALLY INDICATED USE MIN. #8 SELF TAPPING SHEET METAL SCREWS.



BACKING - HEAVY DUTY

3" = 1'-0" | 05D-A1201-F00-DETL | F | 10.28.13

NOTES:
1. THIS BLOCKING IS FOR ELEMENTS WITH A MAXIMUM VERTICAL LOAD OF 100 LBS PER LINEAR FOOT AT A MAXIMUM OF 7' FROM FACE OF WALL.
2. REFER TO STRUCTURAL DRAWINGS FOR METAL STUD FRAMING GAUGE REQUIREMENTS.
3. REFER TO INDIVIDUAL DETAILS AND MFG INSTALLATION INSTRUCTIONS FOR REQUIRED SCREW TYPE TO ATTACH ITEMS TO BLOCKING. WHEN NOT SPECIFICALLY INDICATED USE MIN. #8 SELF TAPPING SHEET METAL SCREWS.



FIRE BARRIER - 1 HOUR

1" = 1'-0" | 05D-A1201-B00-DETL | B | 08.14.12



NOTE:
REFER TO CEILING PLAN FOR ALL CEILING HEIGHTS.

NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.

SUSPENDED GYP. BD. CEILING

3" = 1'-0" | 05D-A1201-N00-DETL | N | 08.14.12



NOTE:
FASTENING TO STRUCTURE ABOVE TO COMPLY WITH LANDLORD AND OR LOCAL BUILDING DEPARTMENT REQUIREMENTS.

CONFORM TO BASIC MINIMUM REQUIREMENTS ESTABLISHED IN ASTM C636

REFER TO DETAIL K/A12.01 FOR CEILING LAYOUT REQUIREMENTS.

ACOUSTICAL CEILING TILE

3" = 1'-0" | 05D-A1201-J01-DETL | J | 02.22.14

NOTES:
1. THIS BLOCKING IS FOR ELEMENTS WITH A MAXIMUM VERTICAL LOAD OF 100 LBS PER LINEAR FOOT AT A MAXIMUM OF 7' FROM FACE OF WALL.
2. REFER TO STRUCTURAL DRAWINGS FOR METAL STUD FRAMING GAUGE REQUIREMENTS.
3. REFER TO INDIVIDUAL DETAILS AND MFG INSTALLATION INSTRUCTIONS FOR REQUIRED SCREW TYPE TO ATTACH ITEMS TO BLOCKING. WHEN NOT SPECIFICALLY INDICATED USE MIN. #8 SELF TAPPING SHEET METAL SCREWS.



BACKING - MEDIUM DUTY

3" = 1'-0" | 05D-A1201-E00-DETL | E | 10.28.13



NON-RATED PARTITION

1" = 1'-0" | 05D-A1201-A00-DETL | A | 08.14.12

PROHIBITION ON REUSE:
THESE DRAWINGS AND SPECIFICATIONS ARE PREPARED FOR USE ON A SPECIFIC SITE, CONTEMPORANEOUSLY WITH THEIR ISSUE DATE. THEY ARE NOT INTENDED FOR USE ON A DIFFERENT PROJECT OR AT A LATER TIME. ALL RIGHTS IN THEM ARE RESERVED BY LSD&C AND NO REPRODUCTION THEREOF OR ANOTHER PROJECT IS PROHIBITED AND CONTRARY TO LAW UNLESS EXPRESSLY PERMITTED IN A WRITING BY L SBRANDS DESIGN & CONSTRUCTION, INC. (REFERRED TO HEREIN AS "LSD&C").

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LSD&C AND SHALL NOT BE SOLD/USED IN ANY MANNER WHATSOEVER, NOR LOANED, REPRODUCED, DISTRIBUTED OR DISCLOSED TO ANY PERSON OR ENTITY WITHOUT THE WRITTEN CONSENT OF LSD&C. ALL COMMON LAW, STATUTORY AND OTHER RESERVED RIGHTS, INCLUDING COPYRIGHT, IN THESE DRAWINGS AND SPECIFICATIONS SHALL BE MADE WITHOUT THE WRITTEN PERMISSION OF LSD&C. VISUAL CONTACT WITH THESE DRAWINGS AND SPECIFICATIONS SHALL CONSTITUTE PROOF OF ACCEPTANCE OF THESE RESTRICTIONS. IF THESE DRAWINGS AND SPECIFICATIONS MUST BE RETURNED TO LSD&C UPON COMPLETION OF THEIR INTENDED USE, UNLESS OTHERWISE AGREED BY THE LSD&C.

THESE DRAWINGS AND SPECIFICATIONS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1990. THE ARCHITECT OF RECORD ACKNOWLEDGES THAT SUCH PROGRAMS AS AUTOCAD AND REVIT AND OTHERS MAY RESULT IN MINOR VARIATIONS BETWEEN THE ORIGINAL DRAWINGS AND THE PRINTED VERSION CONTAINED IN THE CONSTRUCTION DOCUMENTS. THE ARCHITECT OF RECORD DOES NOT WARRANT THAT THERE ARE NO SUCH VARIATIONS BUT THAT THE DRAWINGS ARE SUBSTANTIALLY ACCURATE FOR THE PURPOSES INTENDED.

SHREMSHOCK
Shremshock Architects, Inc.
7400 W. Campus Rd. Suite 150 New Albany, OH 43054
t: 614 545 4500 | f: 614 545 4555 | shremshock.com
Timothy J. Shremshock, Architect | #13585

Lbrands
STORE DESIGN & CONSTRUCTION
Three Limited Parkway - Columbus, Ohio 43230
Telephone: 614.415.7000 - Fax: 614.415.7349

010500587

PROJECT INFORMATION:
VICTORIA'S SECRET
NORTH POINT MALL
SPACE #1050
1000 NORTH POINT CIRCLE
ALPHARETTA, GA 30022

SCOPE: FULL REMODEL | PACKAGE: PKG II
DESIGN TYPE: NMAL | GENERATION: SPRING 2015 (1427e)
LSD&C PROJECT #: 00059876 | A/E PROJECT #: 140332

REVISIONS:

	REQUIRED BY:	DATE
1	BID ADDENDUM - LANDLORD COMMENTS & MASTER UPDATES (S515a.01 & S115a)	01/02/2015

ELITE CONSTRUCTION GROUP
LAKE JACKSON, TX
PHONE: 979-285-0712
NOTE: THESE PRINTS HAVE BEEN REDUCED BY 50 PERCENT. SCALE WILL BE 50 PERCENT OF WHAT IS NOTED ON PLANS

DATE ISSUED: 09/19/14
DESIGNED BY: CN
DRAWN BY: MJN
CHECKED BY: JM

GENERAL CONSTRUCTION DETAILS

DRAWING NUMBER:
A12.01