


DEMOLITION FLOOR PLAN



- (1) (E) LEASELINE. V.I.F.
- (2) (E) DEMISING WALLS, NEUTRAL PIERS, STRUCTURAL COLUMNS, AND BULKHEAD TO REMAIN.
- (3) (E) STOREFRONT TO REMAIN. REFER TO SHEET A08.X
- (4) (E) SENSORMATIC SYSTEM TO REMAIN.
- (5) (E) WALLS TO REMAIN. TYPICAL U.O.N.
- (6) REMOVE (E) PARTITION WALLS SHOWN DASHED, INCLUDING MIRRORS, HARDWARE, TRIM, ETC.
- (7) (E) RECESSED STANDARDS TO REMAIN, TYP. U.O.N.
- (8) REMOVE (E) SHELF HARDWARE FROM (E) RECESSED STANDARDS. PREPARE WALL AS NECESSARY TO RECEIVE NEW CONSTRUCTION PER A02.X
- (9) (E) COLUMN ENCLOSURE. RMP TO REMOVED AND DISCARDED. REFER TO SCHEDULE A/A01.1 FOR FURTHER INFORMATION.
- (10) (E) PLUMBING FIXTURES TO REMAIN. REPAIR AS NECESSARY TO PUT IN GOOD WORKING CONDITION. G.C. TO SNAKE SINKER AND DRAIN LINES.
- (11) (E) ELECTRICAL EQUIPMENT TO REMAIN. REFER TO ELECTRICAL DRAWINGS
- (12) (E) BACKWRAP/CASHWRAP TO REMAIN. REFER TO A02.X FOR FURTHER INFORMATION
- (13) NOT USED
- (14) (E) CASHWRAP AND/ OR BACKWRAP TO BE REMOVED AND DISCARDED.
- (15) (E) DOOR AND FRAME TO REMAIN. REFER TO A02.X FOR MORE INFORMATION. G.C. TO REPLACE HARDWARE AS NECESSARY.
- (16) (E) DOOR AND/OR FRAME TO BE REMOVED AND DISCARDED.
- (17) G.C. TO REMOVE (E) GRAPHICS THROUGHOUT & DISCARD.
- (18) (E) MIRRORS TO BE REMOVED THROUGHOUT SALES AREA. G.C. TO PATCH AND REPAIR SURROUNDINGS AS NECESSARY TO RECEIVE NEW FINISHES.
- (19) REMOVE (E) MIRROR FROM TRANSITION WALL. PATCH AND REPAIR WALL TO RECEIVE NEW FINISH.
- (20) (E) PIN TO REMAIN SEE A06.X FOR FINISH
- (21) (E) PIN TO BE REMOVED AND SET ASIDE FOR RE-USE. SEE SHEET A02
- (22) (E) PUCK PANELS AND ASSOCIATED SHELVING/HARDWARE TO REMAIN.
- (23) (E) PUCK PANELS AND ASSOCIATED SHELVING/HARDWARE TO BE REMOVED AND DISCARDED.
- (24) (E) TRIM TO BE REMOVED AND DISCARDED THROUGHOUT ROOF OR TRANSITION.
- (25) (E) FLOOR FIXTURES, SHOWN DASHED, TO BE REMOVED AND DISCARDED. REFER TO SCHEDULE A/A01.1 FOR FURTHER INFORMATION.
- (26) G.C. TO REMOVE AND SET ASIDE (E) DRAWER BASE OR FLOOR FIXTURE FOR RE-USE. SEE A06.X FOR FINISH INFORMATION TYPICAL OF ALL HATCHED FIXTURES.
- (27) (E) FOCAL TO BE REMOVED IN ITS ENTIRETY. SEE A02.X FOR NEW CABINET INFORMATION.
- (28) (E) DOOR TO BE REMOVED AND SET ASIDE FOR RE-USE. REFER TO PLAN A02.2 AND DOOR SCHEDULE A02.2 FOR MORE INFORMATION.
- (29) REMOVE PORTION OF (E) FLOORING TO SUBFLOOR. VERIFY FLOOR SURFACE TO BE SMOOTH AND LEVEL TO ACCEPT NEW FINISH FLOOR MATERIAL. PATCH AND REPAIR AS NECESSARY. REFER TO A06.X.
- (30) (E) FLOORING TO REMAIN - PATCH AND REPAIR AS NECESSARY. REFER TO A06.X.
- (31) (E) FITTING ROOM FIXTURES TO BE REMOVED AND DISCARDED. INCLUDING HANGBAR AND BENCH.
- (32) (E) FITTING ROOM DOOR TO REMAIN.
- (33) (E) FITTING ROOM MIRROR TO REMAIN. REFER TO A02.X FOR FINISH INFORMATION.
- (34) (E) PAGING SYSTEM BUTTON TO BE REMOVED. REFER TO A02.X AND ELECTRICAL DRAWINGS.
- (35) (E) FITTING ROOM MIRROR TO BE REMOVED AND DISCARDED.
- (36) (E) GO BACK NICHE TO REMAIN.
- (37) (E) FITTING ROOM BASE AND TRIM TO REMAIN.
- (38) (E) NON-SALES FIXTURES TO BE REMOVED AND DISCARDED.
- (39) (E) NON-SALES FIXTURES TO REMAIN. REFER TO A06.X FOR MORE INFORMATION.
- (40) (E) STOCK ROOM SHELVING TO BE REMOVED AND SET ASIDE FOR POSSIBLE RE-USE. REFER TO A06.X FOR MORE INFORMATION.
- (41) (E) STOCK ROOM SHELVING TO REMAIN. REFER TO A06.X FOR MORE INFORMATION.
- (42) (E) MUSIC SYSTEM TO REMAIN.
- (43) (E) TRANSITION MIRROR TO REMAIN.
- (44) (E) STOREFRONT TO BE "DE-PINKED". (E) PINK SIGNAGE, GRAPHICS AND WALLCOVERING TO BE REMOVED AND DISCARDED. STOREFRONT PORTAL TO BE PREPPED FOR (N) METAL PANELS. REFER TO A08.X FOR MORE INFORMATION.
- (45) EXISTING PINK DECORATIVE VINYL TO BE REMOVED AND MIRROR TO BE CLEANED.
- (46) EXISTING MOP SINK TO BE REMOVED AND DISCARDED.
- (47) REMOVE WALLCOVERING FROM WALLS, VALANCES AND FROM INSIDE CABINETS. PREPARE WALL FOR NEW FINISHES.
- (48) EXISTING DRINKING FOUNTAIN TO BE REMOVED AND DISCARDED.
- (49) EXISTING HAND DRYER TO BE REMOVED AND SET ASIDE FOR REUSE. SEE A02.X FOR MORE INFORMATION.

NOTE:  
ALL VSL AND PINK HANG FIXTURES; CR'S, HR'S, T-STANDS ETC NOT SHOWN ON PLANS ARE EXISTING TO REMAIN IN STORE. COORDINATE WITH LIMITED BRANDS PROJECT MANAGER.

**FIXTURE KEY: FIXTURES SHOWN WITH A SOLID LINE, CROSS HATCH, AND MARKED AS (E) ARE EXISTING TO REMAIN IN THEIR CURRENT LOCATION. XXXX-XX(E)**

**FIXTURES SHOWN WITH A DASHED LINE, CROSS HATCH, AND MARKED AS (E) ARE TO BE SET ASIDE FOR USE IN A NEW LOCATION. XXXX-XX(E)**

**FIXTURES SHOWN WITH A DASHED LINE, NO CROSS HATCH, AND MARKED AS (D) ARE TO BE REMOVED FROM THE STORE AND DISCARDED. XXXX-XX(D)**

**REFER TO A06.X FOR COLOR AND LOCATION.**

**NOTE: HATCHED AREA INDICATES AREA NOT INCLUDED IN SCOPE. G.C. TO VERIFY ALL FIXTURES ARE IN GOOD WORKING CONDITION AND TOUCH UP FINISHES AS NECESSARY.**

DEMOLITION PLAN KEYNOTES

1. CONTRACTOR SHALL VERIFY FIELD CONDITIONS AND NOTIFY LSDAC PROJECT MANAGER AND ARCHITECT OF ALL DISCREPANCIES BEFORE PROCEEDING WITH WORK.
2. PREVENT MOVEMENT OR SETTLEMENT OF STRUCTURE(S). PROVIDE AND PLACE BRACING OR SHORING TO ENSURE SAFETY AND SUPPORT OF STRUCTURE. G.C. TO ASSUME LIABILITY FOR SUCH MOVEMENT, SETTLEMENT, DAMAGE, OR INJURY.
3. CEASE OPERATIONS AND NOTIFY THE LSDAC PROJECT MANAGER IMMEDIATELY IF SAFETY OF STRUCTURE APPEARS TO BE COMPROMISED. TAKE PRECAUTIONS TO PROPERLY SUPPORT STRUCTURE. DO NOT RESUME OPERATIONS UNTIL SAFETY IS RESTORED.
4. PROVIDE, ERECT, AND MAINTAIN BARRICADES, LIGHTING, AND GUARD RAILS AS REQUIRED BY APPLICABLE CODES TO PROTECT OCCUPANTS OF BUILDING, WORKERS, AND PEDESTRIANS.
5. FOR DISCONNECTING, REMOVING, AND CAPPING UTILITY SERVICES WITHIN AREAS OF DEMOLITION, NOTIFY THE LOCAL UTILITY COMPANY AND BUILDING MANAGER IN ADVANCE AND OBTAIN APPROVAL BEFORE STARTING THIS WORK.
6. HVAC SUBCONTRACTOR TO INSPECT EXISTING CONDITIONS PRIOR TO DEMOLITION, AND DETERMINE WHETHER ANY COMPRESSOR REFRIGERANT LINES ARE PRESENT THAT MUST BE PROPERLY DRAINED (TO E.P.A. STANDARDS) PRIOR TO DEMOLITION.
7. PLACE MARKERS TO INDICATE LOCATION OF DISCONNECTED SERVICES. IDENTIFY SERVICE LINES AND CAPPING LOCATIONS ON PROJECT RECORD DOCUMENTS.
8. EXCEPT WHERE NOTED OTHERWISE, MAINTAIN POSSESSION OF MATERIALS BEING DEMOLISHED. IMMEDIATELY REMOVE FROM SITE.
9. DEMOLISH IN AN ORDERLY AND CAREFUL MANNER AS REQUIRED TO ACCOMMODATE NEW WORK, INCLUDING THAT REQUIRED FOR CONNECTION TO THE EXISTING BUILDING. PROTECT EXISTING FOUNDATIONS AND SUPPORTING STRUCTURAL MEMBERS. PHASE DEMOLITION IN ACCORDANCE WITH CONSTRUCTION SCHEDULE.
10. PERFORM DEMOLITION IN ACCORDANCE WITH APPLICABLE AUTHORITIES HAVING JURISDICTION.
11. REPAIR ALL DEMOLITION PERFORMED IN EXCESS OF THAT REQUIRED, AT NO COST TO LSDAC.
12. BURNING OF MATERIALS ON SITE IS NOT PERMITTED.
13. REMOVE DEMOLISHED MATERIALS, TOOLS, AND EQUIPMENT FROM SITE UPON COMPLETION OF WORK. LEAVE SITE IN A CONDITION ACCEPTABLE TO LSDAC PROJECT MANAGER.
14. ALL STORE DEMOLITION WORK SHOULD BE COORDINATED WITH THE STORE MANAGER SO AS NOT TO DISRUPT STORE OPERATIONS. AREAS OF NEW CONSTRUCTION SHOULD BE CORDONED OFF TO PREVENT DEBRIS AND DUST FROM ENTERING THE REMAINING SALES FLOOR. ACCESS TO THE STOCKROOM MUST BE MAINTAINED.
15. PRIOR TO BID SUBMISSION, THE G.C. SHALL MAKE A SITE VISIT TO REVIEW THE DEMOLITION REQUIREMENTS INCLUDING, BUT NOT LIMITED TO, THE ENTIRE INTERIOR OF THE EXISTING SPACE OR SPACES (I.E. COMMON DEMISING WALLS, STOREFRONT, EXISTING UTILITIES AND LAVATORIES) REVIEW M.E.P. DRAWINGS FOR DEMOLITION REQUIREMENTS / UTILITY RELOCATIONS. COORDINATE ALL DEMOLITION WITH LSDAC PROJECT MANAGER AND LANDLORD'S FIELD REP.
16. G.C. TO COORDINATE VERTICAL HEIGHTS OF (E) STRUCTURE, DUCTS, PIPES, CONDUITS, ETC. WITH (N) SCOPE OF WORK TO ACHIEVE DESIRED CEILING HEIGHT. G.C. TO NOTIFY LSDAC PROJECT MANAGER DURING DEMOLITION PHASE OF VERTICAL HEIGHT CLEARANCE DISCREPANCIES.

DEMOLITION GENERAL NOTES

THESE DRAWINGS AND SPECIFICATIONS ARE PREPARED FOR USE ON A SPECIFIC SITE. ANY CHANGES OR MODIFICATIONS TO THESE DRAWINGS AND SPECIFICATIONS, OR ANY PROJECT SITE OR AT A LATER DATE, SHALL BE THE RESPONSIBILITY OF THE CLIENT. ANY CHANGES OR MODIFICATIONS TO THESE DRAWINGS AND SPECIFICATIONS, OR ANY PROJECT SITE OR AT A LATER DATE, SHALL BE THE RESPONSIBILITY OF THE CLIENT. ANY CHANGES OR MODIFICATIONS TO THESE DRAWINGS AND SPECIFICATIONS, OR ANY PROJECT SITE OR AT A LATER DATE, SHALL BE THE RESPONSIBILITY OF THE CLIENT.

**010500133**  
**VICTORIA'S SECRET**  
**QUAIL SPRINGS MALL**  
SPACE NO. 119  
2501 WEST MEMORIAL RD.  
OKLAHOMA CITY, OK 73134  
R131Sq./142Fq  
2007684006

**REVISIONS:**  
REQUIRED BY: DATE:  
ELITE CONSTRUCTION GROUP  
LAKE JACKSON, TX  
PHONE: 877.388.0715  
NOTE: THESE PRINTS HAVE BEEN REDUCED BY 50 PERCENT SCALE. ALL DIMENSIONS WILL BE 50 PERCENT OF WHAT IS NOTED ON PLANS.

**PROJECT INFORMATION:**  
**REVISIONS:**  
REQUIRED BY: DATE:  
ELITE CONSTRUCTION GROUP  
LAKE JACKSON, TX  
PHONE: 877.388.0715  
NOTE: THESE PRINTS HAVE BEEN REDUCED BY 50 PERCENT SCALE. ALL DIMENSIONS WILL BE 50 PERCENT OF WHAT IS NOTED ON PLANS.

**DATE ISSUED:** 05.30.2014  
**DESIGNED BY:** KW  
**DRAWN BY:** DB/BV  
**CHECKED BY:** DB/BV

**DEMOLITION FLOOR PLAN**  
DRAWING NUMBER:  
**A01.1A**