

"VERIFY ALL FIELD CONDITIONS PRIOR TO BID"

ELECTRICAL LIGHTING CIRCUIT DEMO PLAN

- 1 ELECTRICAL CONTRACTOR SHALL INSTALL OCCUPANCY MOTION SENSOR SWITCH FOR CONTROL OF LIGHTS AS SHOWN. ELECTRICAL CONTRACTOR SHALL SET SWITCH FOR 15 MINUTES. MOUNT AT 44" AFF.
  - 2 BREAK-OFF CIRCUIT.
  - 3 JUNCTION BOX INSTALLED AT THE CENTERLINE OR MOUNTING PLATE OF WALL SCONCE. SEE ARCHITECTURAL DRAWINGS FOR MOUNTING HEIGHTS.
  - 4 LOCATE RF ANTENNA ABOVE CEILING IN ACCESSIBLE LOCATION WITHIN REACH OF ACCESS POINT. MOUNT TO BOTTOM OF STRUCTURE IF POSSIBLE. PROVIDE 1/2" CONDUIT TO RF FOR A GROUP OF (4) RF ANTENNAS.
  - 5 EXISTING JUNCTION BOX, TOGGLE DISCONNECT SWITCH IN NON-VISIBLE LOCATION, FINAL CONNECTION FOR 120 VOLT SIGN AND CONDUIT PER DETAIL. SIGN IS FURNISHED WITH INTERNAL GROUND FAULT PROTECTION BY SIGN MANUFACTURER PER N.E.C. ARTICLE 600-238. VERIFY EXACT LOCATION OF JUNCTION BOX WITH SIGN MANUFACTURER. (REUSE EXISTING JUNCTION BOX AND CONDUIT INTO SPACE IF ALREADY INSTALLED. VERIFY IN FIELD EXACT LOCATION ON CANOPY).
- NOTE:  
THE CIRCUIT FOR SIGNAGE MUST BE A DEDICATED ISOLATED 3-LINE CIRCUIT CONSISTING OF HOT, NEUTRAL, AND GROUND WIRES LEADING DIRECTLY TO THE PANEL.
- 6 REFER TO SHEET E02.01 FOR POWER REQUIREMENTS.
  - 7 LIGHT FIXTURES TO BE INSTALLED IN MILLWORK FIXTURE, NOT IN CEILING. VERIFY WITH LSD&C.
  - 8 LIGHT FIXTURES ARE MOUNTED TO A MOVABLE ACCESS PANEL. INSTALL WITH ENOUGH SLACK TO ALLOW THE PANEL TO FULLY OPEN AND NOT PUT EXCESS TENSION ON THE WIRE. REFER TO ARCHITECTURAL DRAWINGS FOR MORE INFORMATION.

**M-Engineering**  
750 Brookside Blvd.  
Westerville, Ohio 43081  
phone: 614.839.4639  
fax: 614.839.2222  
www.mengineering.us.com

**Limitedbrands**  
LIMITED STORE PLANNING, INC.  
d/b/a STORE DESIGN & CONSTRUCTION  
Three Limited Parkway Columbus, Ohio 43230  
Telephone: 614.415.7000 Fax: 614.415.7349

THESE DRAWINGS AND SPECIFICATIONS ARE PREPARED FOR USE ON A SPECIFIC SITE. ANY CHANGES TO THE PROJECT SHALL BE AT THE USER'S RISK. THESE DRAWINGS AND SPECIFICATIONS ARE NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF LIMITED BRANDS. (LSD&C).  
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LIMITED BRANDS. NO PART OF THESE DRAWINGS OR SPECIFICATIONS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF LIMITED BRANDS. (LSD&C).  
THESE DRAWINGS AND SPECIFICATIONS ARE COMPILED AND SUBJECT TO COPYRIGHT PROTECTION AS AN ORIGINAL WORK OF ART. ANY REPRODUCTION OR TRANSMISSION OF THESE DRAWINGS OR SPECIFICATIONS WITHOUT THE WRITTEN PERMISSION OF LIMITED BRANDS IS A VIOLATION OF THE COPYRIGHT ACT OF 1976. THE PROTECTION OF THESE DRAWINGS AND SPECIFICATIONS IS THE PROPERTY OF LIMITED BRANDS. (LSD&C).  
THESE DRAWINGS AND SPECIFICATIONS ARE NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF LIMITED BRANDS. (LSD&C).

**PROJECT INFORMATION:**  
**010500133**  
**VICTORIA'S SECRET**  
**QUAIL SPRINGS MALL**  
SPACE NO. 119  
2501 WEST MEMORIAL RD.  
OKLAHOMA CITY, OK 73134  
**SCOPE:** OPTIMIZATION PACKAGE  
NMA/FORUM A41 GENERATING 2013 (R131Sg)/142Fg  
00060919 A/E PROJECT #:  
2007684006

REVISIONS:	
REQUIRED BY:	DATE:


ELITE CONSTRUCTION GROUP  
LAKE JACKSON, TX  
PHONE: 281.288.0713  
NOTE: THESE PRINTS HAVE BEEN  
REDUCED BY 50 PERCENT SCALE.  
WILL BE 50 PERCENT OF WHAT IS  
NOTED ON PLANS.

DATE ISSUED: 05.30.2014  
DESIGNED BY: ASB  
DRAWN BY: ASB  
CHECKED BY: DFG

**ELECTRICAL  
LIGHTING  
DEMO PLAN**

DRAWING NUMBER:

**E07.2**



1/4" = 1'-0"

A