

- DE-IMAGING SHALL OCCUR ONCE BATH & BODY WORKS HAS RELOCATED AND VACATED FROM THEIR FORMER LEASE SPACE OR FROM A TEMPORARY SPACE INTO THE NEWLY CONSTRUCTED OR REMODELED SPACE, AND NORMALLY FOLLOWING THE OPENING DATE OF THE NEW STORE. THE DE-IMAGING OF THE SPACE SHALL INCLUDE THE FOLLOWING:
1. G.C. TO REMOVE ALL STOREFRONT SIGNAGE INCLUDING: PIN-MOUNTED OR SURFACE MOUNTED LETTERS OR LOGOS, ILLUMINATED SIGNAGE, AND SIGNAGE OR LOGOS APPLIED TO THE GLASS.
 2. G.C. TO PATCH AND REPAIR ALL HOLES RESULTING FROM THE REMOVAL OF SIGNAGE AND PAINT TO MATCH EXISTING STOREFRONT.
 3. G.C. TO CLEAN GLASS TO REMOVE ANY RESIDUE FROM THE REMOVAL OF SIGNAGE OR LOGOS.
 4. G.C. TO REMOVE ANY ANY EXISTING SURFACE PAINTED SIGNAGE OR LOGOS TO MATCH THE EXISTING STOREFRONT.
 5. G.C. TO REMOVE ALL ANNINGS AND FRAMES, PATCH AND REPAIR HOLES, AND PAINT TO MATCH THE EXISTING STOREFRONT.
 6. G.C. TO REMOVE SIGN AND MURAL (IF APPLICABLE) AT BACKRARP, PATCH HOLES AND PAINT TO MATCH EXISTING WALLS.
 7. G.C. TO REMOVE ALL DEPARTMENTAL SIGNAGE (IF APPLICABLE).
 8. G.C. TO REMOVE ALL SIGNAGE INSIDE THE STORE OR VISIBLE IN THE STOREFRONT WINDOWS.
 9. G.C. TO DISPOSE OF ALL EXISTING SIGNAGE AND LOGO ELEMENTS, AND LEAVE SPACE CLEAN.
 10. G.C. TO DESTROY ANY FLOOR FIXTURES LEFT IN THE VACATED SPACE, VERIFY WITH LSDIC PROJECT MANAGER.
 11. G.C. TO BLACKOUT ALL STOREFRONT WINDOWS.
 12. G.C. TO REMOVE UTILITIES FROM LIMITED BRANDS NAME.

 EXTENT OF DEMOLITION
 TEMPORARY BARRICADE

WITH 5/8" EXTERIOR GRADE PLYWOOD, FULL HEIGHT, AT EXTERIOR STOREFRONTS. BARRICADES ARE TO BE ADEQUATELY SECURED AND BRACED TO MALL BULK- HEAD FRAMING FOR LATERAL STABILITY, AND BARRICADE MUST BE STRUCTURALLY SOUND.

3. PRIME AND PAINT BARRICADE PT-17, SEMI-GLOSS.

4. CARE IS TO BE TAKEN WHEN DISASSEMBLING AND REMOVING BARRICADE. GENERAL CONTRACTOR IS TO RESTORE MALL FLOORING AND BULKHEAD TO A "LIKE NEW" CONDITION AND FINISH.

5. CRITICAL CONTRACTORS TO CONSULT WITH MALL REPRESENTATIVE FOR HOURS IN WHICH WORK ON BARRICADE CAN OCCUR.

1. GEN. CONTR. IS TO HANG OWNER PROVIDED 3'X4' POSTER SIGNAGE AT INSIDE FACE OF STOREFRONT WINDOW OR ON "MALL WALL".

STOREFRONT BARRICADE NOTES	FULL	 08.24.04
	42N-A011-H00-NOTE	

1. UNLESS OTHERWISE DIRECTED BY THE OWNER'S CONSTRUCTION MANAGER: G.C. TO CONSTRUCT TEMPORARY INTERIOR PHASING BARRICADE(S) OF 5/8" GYP. BOARD EACH SIDE OVER 3 5/8" METAL STUDS @ 24" O.C. BARRICADES ARE TO BE FULL HEIGHT AND BE ADEQUATELY SECURED AND BRACED - NEATLY TAPE OR SEAL AT CEILING AS REQUIRED FOR DUST PROOF CONDITION. TAPE AND SPACKLE GYP. BOARD SMOOTH, PRIME AND FINISH PAINT TO MATCH STORE WALL COLOR. G.C. IS TO INSTALL OWNER SUPPLIED, SURFACE MOUNTED WALL STANDARDS AT 24" O.C. FROM FLOOR TO CEILING ON SALES SIDE OF BARRICADE, INSTALL IN-WALL BLOCKING AS NECESSARY BEHIND EACH STANDARD. (FEE FOR CONSTRUCTION AND FINISH OF WALL MUST INCLUDE INSTALLATION OF WALL STANDARDS). RELOCATION OF BARRICADE WILL BE REQUIRED BY G.C. AT PHASE TURNOVER.
2. NOT USED.
3. IF APPLICABLE, G.C. TO TEMPORARILY RELOCATE ONE EXISTING CASHWRAP, INCLUDING ALL NECESSARY POWER, CONTROL, AND TELEPHONE WIRING TO ACCOMPLISH SAME.
4. ALL CONSTRUCTION WORK MUST BE ACCOMPLISHED IN HARMONY WITH STORE PERSONNEL AND NOISY WORK TO BE ACCOMPLISHED BEFORE OR AFTER BUSINESS HOURS.


1. TEMPORARY STOREFRONT ENTRANCES, WHEN REQUIRED, SHALL BE CONSTRUCTED BY G.C. OF ALL NEW MEMBERS AND FINISHES TO MATCH PERMANENT STOREFRONT CONSISTING OF TEMPERED GLASS, ALUMINUM FRAMING AND GLASS DOOR ALUMINUM FRAME. ALL DOORS SHALL HAVE A NEW CYLINDER LOCK BY U-CHANGE LOCK INDUSTRIES, INC. AND DOOR PULL - CYLINDER AND PULL TO MATCH PERMANENT EQUIPMENT SHOWN ON STOREFRONT DOOR SCHEDULE ON SHEET A00.2. ALL KEYS TO BE TURNED OVER TO STORE MANAGER.
2. GENERAL CONTRACTOR SHALL PROVIDE CONDUIT AND CIRCUITING FOR TEMPORARY SENSOR/MATIC AND TEMPORARY EXIT SIGNAGE IF/AS REQUIRED.

STOREFRONT BARRICADE NOTES

- GENERAL CONTRACTOR TO CONTACT THE MALL OPERATIONS DIRECTOR TO COORDINATE THE HIRE OF BOSTON BARRICADE TO CONSTRUCT BARRICADE PER LANDLORD/MALL REQUIREMENTS.
- GENERAL CONTRACTOR TO CONTACT LANDLORD/MALL FOR SPECIFIC FINISH INSTRUCTIONS.
- CARE IS TO BE TAKEN WHEN DISASSEMBLING AND REMOVING BARRICADE. GENERAL CONTRACTOR TO RESTORE MALL FLOORING AND BULKHEAD TO A "LIKE NEW" CONDITION AND FINISH.
- GENERAL CONTRACTOR TO CONSULT WITH MALL REPRESENTATIVE FOR HOURS IN WHICH WORK IS TO OCCUR.
- GENERAL CONTRACTOR TO PROVIDE HOLLOW CORE WOOD DOOR(S) WITH DEADBOLT LOCKS. DOOR FINISH TO MATCH SPECIFIC BARRICADE FINISH AS REQUIRED BY LANDLORD/MALL.

Architectural drawing showing a section through a concrete deck and gypsum board ceiling. The drawing includes the following elements:

- Concrete Deck:** Labeled "B.O. CONCRETE DECK TO REMAIN".
- Gypsum Board Ceiling:** Labeled "B.O. GYP. BD. CLG." and "TYP." (typical).
- Matchline:** Indicated on the left side of the drawing.
- Expansion Joint:** Indicated on the right side of the drawing, labeled "(E) EXPANSION JOINT FROM WOOD FLOOR TO CEILING".

[illegible]

(APPLICABLE MALL LOCATION ONLY IF PERMITTED BY LANDLORD)

1. GENERAL CONTRACTOR IS TO CONSTRUCT A STOREFRONT BARRICADE PER LANDLORD/MALL SPECIFICATIONS. FINISHES PER LSDQC SPECS. SEE NOTE #3.
2. IF LANDLORD/MALL HAS NO SPECIFICATIONS, THEN GENERAL CONTRACTOR IS TO CONSTRUCT TEMPORARY BARRICADE(S) OF 2" X 4" STUDS SET 24" O.C. WITH ONE (1) 2" X 6" X 8' GYP. BD. (ONE) 1/2" TAPED AND SPACKLED SMOOTH. INSTALL 4" X 1" MIL PLANK OR GYP. BD. BACK TO MALL BULKHEAD TO CREATE DUST-PROOF CONDITION. SUBSTITUTE GYP. BD. AND PLASTIC WITH 5/8" EXTERIOR GRADE PLYWOOD. FULL HEIGHT, AT EXTERIOR STOREFRONT BARRICADES ARE TO BE ADEQUATELY SECURED AND BRACED TO MALL BULK-HEAD FRAMING FOR LONG-TERM STABILITY, AND BARRICADE MUST BE STRUCTURALLY SOUND.
3. PREP AND PAINT BARRICADE TO MATCH EXISTING MALL FINISHES.
4. CARE IS TO BE TAKEN WHEN DISASSEMBLING AND REMOVING BARRICADE. GENERAL CONTRACTOR IS TO RESTORE MALL FLOORING AND BULKHEAD TO A LIKE NEW CONDITION AND FINISH.
5. PROVIDE GENERAL CONTRACTOR TO CONDUCT A REPRESENTATIVE FOR HOURS IN WHICH WORK ON BARRICADE CAN OCCUR.
6. PROVIDE PLAN LAYOUT AND FIELD DIMENSIONS TO OWNER FOR GRAPHIC INSTALLATION.

(APPLICABLE STRIP CENTER/STREET LOCATION WHEN NO BARRICADE IS REQUIRED / ALLOWED: ONLY IF PERMITTED BY LANDLORD)

1. GEN. CONTRACTOR IS TO HANG OWNER PROVIDED 3'X4' POSTER SIGNAGE AT INSIDE FACE OF STOREFRONT WINDOW OR ON "MALL WALL". CENTER ON GLASS - APPLY W/ CLEAR TAPE.

(13) (F) HVAC UNIT, CURB AND DUCTWORK TO BE DEMOLISHED, SHOWN DASHED. SEE MEP DRAWINGS. REPAIR ROOF TO NEW CONDITION


(14) (E) ELECTRICAL EQUIPMENT TO BE REMOVED, SHOWN DASHED. SEE MEP DRAWINGS

(15) STOREFRONT BARRICADE, G.C. TO CONSTRUCT ACCORDING TO TENANT CRITERIA AND COORDINATE ALL REQUIREMENTS WITH OPERATIONS DIRECTOR AT SITE. G.C. TO PAINT PT-17 AND SUPPLY FIELD DIMENSIONS TO OWNER FOR GRAPHIC INSTALLATION. BASE TO BE 4' HIGH B-1


(16) SURVEY INDICATES EVIDENCE OF ROOF / PIPE LEAK IN THIS AREA. G.C. TO INVESTIGATE AND DETERMINE SOURCE AND EXTENT OF LEAK. G.C. TO COORDINATE REPAIR OR LEAK W/ SOX PROJECT MGR. AND LANDLORD PRIOR TO INSTALLATION OF FINISH CEILING

DEMOLITION PLAN KEYNOTES	FULL	D 10, 14, 11
	42N-A011-D00-NOTE	

DEMOLITION PLAN KEYNOTES	FULL	D 10, 14, 11
	42N-A011-D00-NOTE	



LOWEST POINT OF (E) DECK: 16'-6" A.F.F. (V.I.F.)
LOWEST POINT OF (E) STRUCTURE: 14'-3" A.F.F. (V.I.F.)

A01.1[illegible]

BODY WORKS

PULL REMODEL E	PACKAGE EXTERIOR:	PKG 1-1
50061216	GUTTERING: <td>1 308 AC</td>	1 308 AC
	PRODUCT #:	1 308 AC

PROJECT INFORMATION:		BATH & THE GALLERY SPACE NO. B3680 5085 WESTHEIMER HOUSTON, TX 77055											
SCOPE:		DESIGN TYPE: LENDAC PROJECT 4:											
REVISIONS: <table border="1"> <tr> <td>REQUIRED BY:</td> <td>DATE:</td> </tr> <tr> <td>1 BUILDING DEPARTMENT COMMENTS</td> <td>04/11/11</td> </tr> <tr> <td>2 BUILDING DEPARTMENT COMMENTS</td> <td>05/08/11</td> </tr> <tr> <td>3 DESIGN CHANGES/ LANDLORD COMMENTS/ MASTERS UPDATES</td> <td>05/28/11</td> </tr> <tr> <td>4 DESIGN CHANGES</td> <td>06/27/11</td> </tr> </table>				REQUIRED BY:	DATE:	1 BUILDING DEPARTMENT COMMENTS	04/11/11	2 BUILDING DEPARTMENT COMMENTS	05/08/11	3 DESIGN CHANGES/ LANDLORD COMMENTS/ MASTERS UPDATES	05/28/11	4 DESIGN CHANGES	06/27/11
REQUIRED BY:	DATE:												
1 BUILDING DEPARTMENT COMMENTS	04/11/11												
2 BUILDING DEPARTMENT COMMENTS	05/08/11												
3 DESIGN CHANGES/ LANDLORD COMMENTS/ MASTERS UPDATES	05/28/11												
4 DESIGN CHANGES	06/27/11												

DATE ISSUED: 3/7/14
DESIGNED BY: S
DRAWN BY: DGR
CHECKED BY: RHW

DEMOLITION PLAN

DRAWING NUMBER:
A01.1