

NOT USED

NOT USED

NOT USED

D




TABLE A3
STUD SIZE MATRIX FOR PARTITIONS THAT LATERALLY
SUPPORT FLOOR MOUNTED STOCKROOM SHELVING

SEISMIC DESIGN CATEGORIES A, B & C					
STUD DESIGNATION	STUD DEPTH	FLANGE WIDTH	STUD GAUGE	STUD SPACING	MAXIMUM WALL HEIGHT
3625162-33	3 5/8"	1 5/8"	20	16"	18'-0"

NOTES:
REFER TO NOTES ON N/S01.1

3 FULL HEIGHT STUD WITHOUT DIAGONAL BRACING




TABLE A2
STUD SIZE MATRIX FOR PARTITIONS THAT Laterally
SUPPORT FLOOR MOUNTED STOCKROOM SHELVING

SEISMIC DESIGN CATEGORIES A, B & C					
STUD DESIGNATION	STUD DEPTH	FLANGE WIDTH	STUD GAUGE	STUD SPACING	MAXIMUM WALL HEIGHT TO DOUBLE TRACK
3625162-33	3 5/8"	1 5/8"	20"	16"	13'-0"

NOTES:
REFER TO NOTES ON N/S01.1

2 FULL HEIGHT STUD WITH DIAGONAL BRACING




TABLE A1
STUD SIZE MATRIX FOR PARTITIONS THAT Laterally
SUPPORT FLOOR MOUNTED STOCKROOM SHELVING

SEISMIC DESIGN CATEGORIES A, B & C					
STUD DESIGNATION	STUD DEPTH	FLANGE WIDTH	STUD GAUGE	STUD SPACING	MAXIMUM WALL HEIGHT
3625162-33	3 5/8"	1 5/8"	20	16"	13'-0"

NOTES:
REFER TO NOTES ON N/SOI.1

1 PARTIAL HEIGHT STUD WITH DIAGONAL BRACING

NOT USED

P

NOT USED

N

WALL SECTIONS AT NON-SALES SHELVING (SEISMIC DESIGN CATEGORIES A, B, & C)

$$1'' = 1' - 0''$$

A