



PLUMBING AND FIRE SPRINKLER HEAD
PLAN KEYNOTES

NTS

D

11/11/11

- CONNECT (N) 4" SANITARY SEWER BELOW SLAB TO (E) SANITARY SEWER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 4")
- CONNECT (N) 1" COLD WATER TO (E) COLD WATER LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 1")
- P.O.C. OF (N) VENT TO (E) VENT LINE. (FIELD VERIFY EXACT SIZE AND LOCATION - MIN. 2")
- 1" CONDENSATE DRAIN FROM EQUIPMENT TO DISCHARGE AT LAVATORY REFER TO DETAILS J & K ON SHEET P03.1.
- PLUMBING CONTRACTOR TO PROVIDE WATER METER (INCLUDE TENANT'S NAME AND SPACE #) - HERSEY MODEL NO. 3/4" MVR AT MINIMUM OF 14 GPM. VERIFY LOCATION. MOUNT 48" ABOVE FINISHED FLOOR. MAKE NECESSARY CONNECTIONS AS REQUIRED. METER TO READ IN GALLONS.
- ROUTE TO APPROVED GAS METER LOCATION WITH REGULATOR (PROVIDED AT TRUCK COURT). TOTAL GAS LOAD = 250 CFH AND A TOTAL DEVELOPED LENGTH = 300 FEET. FIELD VERIFY EXACT LOCATION OF METER AND GAS COMPANY REQUIREMENTS.

NOTE:
REFER TO SPECIFICATION BOOKLET FOR ADDITIONAL
INFORMATION.

ANY PENETRATION OR MODIFICATION TO STRUCTURAL STEEL OR
CONCRETE MUST BE COORDINATED AND APPROVED BY THE
LANDLORD'S ON-SITE REPRESENTATIVE AND THE LANDLORD'S
STRUCTURAL ENGINEER.

GC TO PROVIDE WRITTEN REPORT TO LSD&C PM ON CONDITION OF
EXISTING SEWER TIE-IN REGARDING SLOPE AND FLOW.
• SCOPE WITH CAMERA PRIOR TO CONNECTION
• DO NOT CONNECT WITHOUT LSD&C PM AUTHORIZATION IF SPECS
NOT MET

024200396
BATH & BODY WORKS
MEMORIAL CITY MALL
303 MEMORIAL CITY WAY
SUITE 733
HOUSTON, TX 77024
RELO DIVN / NEW PACKAGE:
EASTON-C GENERATION:
60585 A/E PROJECT #:
PROJECT INFORMATION:
REVISIONS:
REVISION 1 - REVISION - REV 1 6/10/2014
REVISION 2 - LL / PERMIT COMMENTS 6/27/2014
ELITE CONSTRUCTION GROUP
LAKE JACKSON, TX
PHONE: 979-285-0712
NOTE: THESE PRINTS HAVE BEEN
REDUCED BY 50 PERCENT. SCALE
WILL BE 50 PERCENT OF WHAT IS
NOTED ON PLANS
DATE ISSUED: 04/11/2014
DESIGNED BY: JES
DRAWN BY: JES
CHECKED BY: NRP
PLUMBING AND
FIRE SPRINKLER
HEAD PLAN
DRAWING NUMBER:
P02.01